THS®
THERMOSTYLE

BALL VALVE LONG HANDLE FF



www.thermostyle.bg
office@thermostyle.bg

THERMOSTYLE



OUR MISION


- ✓ **Quality:** We are unwavering in our commitment to delivering products of the highest quality. Excellence is not just a goal; it's our standard.
- ✓ **Innovation:** We embrace innovation as the driving force behind our products and services. We continuously seek new and creative ways to meet and exceed our customers' evolving needs.
- ✓ **Care for the Client:** Our customers are at the heart of everything we do. We provide personalized assistance and support to ensure their satisfaction and success.
- ✓ **Warranty for Every Product:** We stand behind the reliability and durability of our products, offering a comprehensive warranty with every purchase.
- ✓ **Sustainability:** We are dedicated to environmentally responsible practices and the sustainable development of our products and processes. We strive to minimize our impact on the planet and contribute to a more sustainable future.
- ✓ **Community Engagement:** We actively engage with and support the communities in which we operate. We believe in giving back and making a positive difference in the lives of those around us.
- ✓ **Social Responsibility:** We are committed to being responsible corporate citizens. Our actions prioritize social well-being, inclusivity, and fairness in all our business operations.



THS®
THERMOSTYLE


CHARACTERISTICS
Body: Brass
Threads: Female-Female ISO 228
(equivalent to DIN EN ISO 228 and BS EN ISO 228).
Working temperatures: -20°C - 100°C
Nominal pressure: 16 bar.
The following markings are applied to the product: Trademark "THS" (THS Thermostyle), Item size DN, pressure PN, Hologram sticker.


APLICATION:
Suitable for domestic water services, heating and air-conditioning plants, compressed air systems



ISO 9001 2015 CERTIFIED







	1/2 ″	3/4 ″	1 ″	1 1/4 ″	1 1/2 ″	2 ″	2 1/2 ″	3 ″	4 ″
L	46	51.5	58	69	80.5	91	122	138	151
A	86	86	121	143.5	160.8	180	250	250	250

EN 1074-3:2004

ISO 9001 2015 CERTIFIED